

What is claimed as new and what is desired to secure by Letters Patent of the United States is:

1. A wallpaper installation apparatus comprising:

a substantially flat section having front and rear end portions, said flat section further having a plurality of holes disposed between the front and rear end portions and being spaced apart from each other, said plurality of holes receiving a plurality of corresponding fastening members therethrough for removably securing said apparatus to a wall; and

an arcuate section integral with said flat section and extending rearwardly therefrom, said arcuate section having an outer surface extending outwardly away from a wall and forming an opening therebetween for receiving a roll of wallpaper therein, said arcuate section having a bottom surface integral with said outer surface for assisting to maintain a roll of wallpaper thereabove and for assisting same to unroll as a user slides said apparatus along a wall in a substantially horizontal and forward direction.

2. The apparatus of claim 1, wherein said bottom surface is disposed substantially perpendicularly to said outer surface.

3. The apparatus of claim 1, wherein said flat and arcuate sections are formed from plastic material.

4. The apparatus of claim 1, wherein said rear portion has a height that is greater than a height of said front portion.

5. The apparatus of claim 1, wherein said plurality of holes are disposed generally medially of said front and rear portions.

6. A wallpaper installation apparatus comprising:

a substantially flat section having front and rear end portions, said flat section further having a plurality of holes disposed between the front and rear end portions and being spaced apart from each other, said plurality of holes receiving a plurality of corresponding fastening members therethrough for removably securing said apparatus to a wall; and

an arcuate section integral with said flat section and extending rearwardly therefrom, said arcuate section having an outer surface extending outwardly away from a wall and forming an opening therebetween for receiving a roll of wallpaper therein, said arcuate section having a bottom surface integral with said outer surface for assisting to maintain a roll of wallpaper thereabove and for assisting same to unroll as a user slides said apparatus along a wall in a substantially horizontal and forward direction, said bottom surface is disposed substantially perpendicularly to said outer surface.

7. The apparatus of claim 6, wherein said flat and arcuate sections are formed from plastic material.

8. The apparatus of claim 6, wherein said rear portion has a height that is greater than a height of said front portion.

9. The apparatus of claim 6, wherein said plurality of holes are disposed generally medially of said front and rear portions.

10. An apparatus for facilitating the installation of wallpaper, said apparatus comprising:

a substantially flat section having front and rear end portions, said flat section further having a plurality of holes disposed between the front and rear end portions and being spaced apart from each other, said plurality of holes receiving a plurality of corresponding fastening members therethrough for removably securing said apparatus to a wall, said plurality of holes being disposed generally medially of said front and rear portions; and

an arcuate section integral with said flat section and extending rearwardly therefrom, said arcuate section having an outer surface extending outwardly away from a wall and forming an opening therebetween for receiving a roll of wallpaper therein, said arcuate section having a bottom surface integral with said outer surface for assisting to maintain a roll of wallpaper thereabove and for assisting same to unroll as a user slides said apparatus along a wall in a substantially horizontal and forward direction, said bottom surface is disposed substantially perpendicularly to said outer surface.

11. The apparatus of claim 10, wherein said flat and arcuate sections are formed from plastic material.

12. The apparatus of claim 10, wherein said rear portion has a height that is greater than a height of said front portion.